

2019 Lebanon I-44 Speedway Kart Rules

Revised July 15, 2019

Any competitor refusing tech will be automatically disqualified!!!

ALL KARTS AND CARS MUST PASS SAFTEY INSPECTION BEFORE BEING ALLOWED ON THE RACETRACK

I-44 Speedway SCALES ARE THE OFFICAL SCALES, WE DON'T CARE WHAT YOUR SCALES WEIGH AT HOME, NO EXCEPTIONS

.25 MIDGETS WILL RUN "USAC RULES" EXCEPT NUMBERS. ALL DRIVERS WILL USE THE NUMBER THAT THEY REGISTER WITH ALL DAY.

Minimum .25 Midget Weights by Class

| | |
|---------------|--------------------------------|
| Blue Rookie | 250 lbs with driver after race |
| Junior Honda | 250 lbs with driver after race |
| Junior Animal | 250 lbs with driver after race |
| Light 160 | 270 lbs with driver after race |
| Senior Honda | 270 lbs with driver after race |
| Senior Animal | 270 lbs with driver after race |
| Heavy 160 | 325 lbs with driver after race |
| World Formula | 270 lbs with driver after race |

ALL DRIVERS MUST HAVE SIGNED AND

NOTORIZED WAIVER BEFORE RACING!!!

Adult Clone

- Age: 14 & Up (17 & Under must have SIGNED & NOTORIZED Waiver)
- Chassis: IKF or WKA approved
- Engine: OHV Clone NKA OR AKRA RULES MUST DECLARE IN TECH
- Fuel: Pump gas only – 87 octane
- Clutch: Any Disc or Drum Clutch, NO Jacking Clutches
- Weight: 365 With Driver After the Race

ALL TIRES MUST BE DRY OF PREP BEFORE THEY ARE ALLOWED IN THE STAGING AREA!!!

Box Stock Predator

Box Stock 6.5 212 CC Predator Motor (must be stock)

Carburetors must be stock Predator Carb!

Can run 10.8 Springs

Drum Clutch ONLY

Pull start engines only - NO electric starters

Top Plate/Separate fuel tank is legal

Adult Age is 14 & UP, 17 & UNDER MUST HAVE NOTORIZED & SIGNED WAIVER

Weight- 365 With Driver AFTER the Race

Open Pipe with RLV Muffler, Weinie Pipe or Stock Muffler Allowed

Stock Air Filter or Clone type aftermarket Air Filter Adaptor Permitted

Fly Wheel Key is legal

87 Octane Fuel ONLY

MAXXIS BLUES & PINK TIRES ONLY!!!

ALL TIRES MUST BE DRY OF PREP BEFORE THEY ARE ALLOWED IN THE STAGING AREA!!!

\$150 Motor CLAIM, \$50.00 Motor Swap